

CNH Warranty Audit

Ibcos Policies and Procedures

Version 0.2

June 2024

CONTENTS

OVERVIEW	3
HOW TO TURN ON HIGH SECURITY PASSWORDS	3
Step 1	4
Step 2 (7 days later)	4
User View	5
How to reset a user's password	6
HOW TO TURN ON THE SYSTEM AUDIT	7
How to run a check to see if users have accessed a program to edit data	7
How to check if users have accessed the Find / Replace Data in ISAM Files program	7
How to check if users have accessed the Edit ISAM/ADS Type Files program	8
How to verify the reason these programs were accessed	9
NEW STARTER PROCESS	10
USER ACCESS PERMISSION PROCESS	10
LEAVER PROCESS	11

OVERVIEW

For CNH Warranty Audit purposes, all Dealers must ensure they comply with the following requirements:

- Have High Security Passwords turned on for Gold
- Have the System Audit turned on in Gold
- Implement the New Starter Process
- Implement the User Access Permission Process
- Implement the Leaver Process
- Carry out regular user and access reviews

You can find instructions for all these requirements in this document.

HOW TO TURN ON HIGH SECURITY PASSWORDS

All Dealers must have their security password set to high. This setting will enforce the following rules:

- Users must enter both their initials and a password to be able log into Gold.
- Passwords will contain 6 characters with at least 1 number.
- Users will be forced to change their passwords every 30 90 days.

Important Note: Once the password security has been set to High, it cannot be reverted back to a lower security setting.

To set High Security for your system, access to the Housekeeping menu is required.

Main Menu				
Workshop Control	 Sys Bys 	tem Utilities	System Utilities	
* Parts Control	ی ا	ieneral System Maintenance	Company rile opuate	
* Wholegoods	* P	rint Gold Error Log		
🔐 Sales	 Image: Image: Ima	lisplay Gold Licence Details		
Purchase		DBC Information Report		
Nominal	ی ا	Iser Data Base Maintenance		
Plant Hire	🛞 🦓 R	etrieve File from \$EXP Indate Menu System		
Planned Maintenance	۲	,,,		
CRM / Sales Prospecting	۲			
Communications	۲ 🗧	2		👗 📻 🛞
🙃 , stem Management	S Gen	eral		New QuickRef Search
1 Ibcos Housekeeping	Fav	rorites : General		
Housekeeping	0			
Parts Workshop /Wgd / Plant Ledgers / E-Billing System Utilities Text Images / Printers Document Store/Forms/Rules	No	ems		
1 Engineering	Phone	e : (01202) 714200	Fax : (01202) 733552	ibco
	Sales	: sales@ibcos.co.uk	Support : support@ibcos.co.uk	compu

When you first set the password security to High, users will be asked to enter their initials as well as their current password when they log in. They will only be asked to change this again once the timeframe for changing the password has elapsed.

For example: if you set the password to be changed every 90 days, then the user will be asked to enter their initials and their current password for the first 90 days. After 90 days, the user will be prompted to create a new password.

When you first set the password security to High, you must set the initial number of days on the 'Password Change' field to '7'. After 7 days users will be prompted to create a new password which will meet the high security requirements.

After 7 days, you must then go back into the General System Maintenance screen and set the 'Password Change' field to either 30, 60 or 90 days as required.

It is recommended to inform all users before turning on High Security.

Step 1

- Ask all users to log off the system
- Select the Housekeeping Menu (if you are using Classic Gold, this is part of the System Management menu)
- Select 'System Utilities'
- Select 'General System Maintenance'
- Set the 'Security Level Field' to 'High'
- In the 'Password Change' field, set the number of days to force a password change to 7
- Select 'OK' to save

G Maintain System Data	
Security Level	High V Password Change:
Mail Server:	localhost
PS Print Server:	localhost
Document Server:	10.28.1.102
Default Security:	99 All Company Security:
Check for emails from menu?	No - Server Operating System: Linux -
Windows-only Printing?	No 🗸 SQL data sync Yes 🗸
Prevent Additional Processes?	No ~
Improved Edits?	No v Max Email Size:
Ignore OPD file from Copy Com Notify Email:	ipany? No ~
FAX Model: PCL Licence Key:	HylaFAX v Default FAX Cover:

All users will now be forced to enter both their initials and their current password when they log in.

After 7 days users will be prompted to create a new secure password which will meet the high security requirements. See the section on "User Setting" below.

Step 2 (7 days later)

When users have had time to log in and to change their password to a more secure password the number of days for password change can be increased.

- Ask all users to log off the system
- Select the Housekeeping Menu (if using Classic Gold, this is part of the System Management menu)
- Select 'System Utilities'
- Select 'General System Maintenance'
- Set the 'Security Level Field' to 'High'

 In the 'Password Change' field, set the number of days to force a password change to between 30-90 days

G Maintain System Data		
Security Level:	High ~	Password Change: 30
Mail Server:	localhost	
PS Print Server:	localhost	
Document Server:	10.28.1.102	
Default Security:	99	All Company Security: 1
Check for emails from menu?	N	o v Server Operating System: Linux v
Windows-only Printing?	N	o v SQL data sync Yes v
Prevent Additional Processes?	N	0 ~
Improved Edits?	N	o v Max. Email Size: 0
Ignore OPD file from Copy Comp	any?	No 🗸
Notify Email:		
Parts Email:		
FAX Model: H	lylaFAX ~	Default FAX Cover:
PCL Licence Key:		

This setting will ensure all users reset their password every 30-90 days (depending on the number of days entered).

User View

After 7 days, each user will receive a notification to tell them their password has expired, and they must enter a new one:



Press the 'OK button and enter a new password. Please note: this password must be 6 characters long and contain at least 1 number.

G Enter New Password	E
New Password: Confirm Password:	
OK Cancel	

Every time a user logs in after setting their new password, they will be asked to enter their initials and new password.

User:	
Password:	

This process will reoccur each time the number of days in the password reset field is reached, e.g., every 90 days.

How to reset a user's password

Please note, with the high security setting, Administrators will no longer be able to view user passwords.

If a user has forgotten their password, or is unable to log in, a temporary password can be issued, after which they will be prompted to create a new one.

- Go to System Management
- Select 'Security'
- Select 'Personnel Security File'
- Enter the user's initials
- On the 'Details Tab' select 'New Pwd'

A pop up will appear asking if you want to reset the user's password:

IBCOS Computers Ltd	×
O.K. to reset User's password?	
Yes No Cancel	

Select 'Yes', and a temporary password will be issued to give to the user. This temporary password must be changed when the user next logs on.

HOW TO TURN ON THE SYSTEM AUDIT

The System Audit should always be turned on. Turn on the system audit by following these steps:

- Ask all users to log off the system
- Go into 'System Management'
- Select the 'Company Control File'
- Select 'Amend'
- Move across to the 'Accounts Tab' (in Classic Gold, do this by pressing F12)
- Select 'General'
- Set the 'System Audit' field to 'Yes'
- Press F2, and select 'Yes' to save changes

G General - Amend	
Next Auto Sales & Nominal Ref:	5937
Next Auto Purchase Reference:	2485
Label Format:	"New" Gold 3 wide v
System Audit:	Yes ~
Allow Forward Invoice Postings:	No
Allow Non-Mapped Parts:	Yes -
Allow Cash Accounting:	No
Display Promotions at Customer Entry:	No v
Include VAT in Uninvoiced Value:	No ~
IDT Profit In Prefix: 191	ProQuest BM Code:
IDT Profit Out Prefix: 192	
IDT In Transit Prefix: 182	
OK Cancel	

How to run a check to see if users have accessed a program to edit data

Gold data is held in data files called ISAM files.

The only way to manipulate data in the data files is via programs that are held on the lbcos only housekeeping menu which requires a password from Ibcos to access.

This document explains how to run a report to show if any user has accessed a program that could alter the data in the files.

How to check if users have accessed the Find / Replace Data in ISAM Files program

- Go into 'System Management'
- Select 'Utilities'
- Select 'Print User Access Log Details'
- Select the program 'HKFLFX'
- Enter the date range you want to review
- Press 'Enter'

G User Access Log File Report Print		*
Options Print		
	From To	
Program:	HKFLFX	
Operator Codes:	ALL	
Company.	All	
Run Dates	106/2023 TODAY	
Run Times:	0 00 00 23 59 59	
Active Users Only:	No v	
Report Sequence:	Program/User/Date/Time ~	
OK Cancel Last S	Save Batch Reset Default	

This should not produce any data, and you should see this pop up:



If anyone has accessed the program, a report will be produced:

User Access Log File Report				12	-,708-2023 1	age	1
Program	Description	Operator	The Comp.	Start	End		
HEFLEX	Finds/Replaces Data in ISAN File	IBC Do not use create your own	269 001	12-308-2023 09:42:03	12-308-2023	09:42:1	10

How to check if users have accessed the Edit ISAM/ADS Type Files program

- Go into 'System Management' •
- Select 'Utilities'
- Select 'Print User Access Log Details'
- Select the program 'HKDFED'
- Enter the date range you want to review
- Press 'Enter'

G User Access Log File Report Print		
Options Print		
	From	То
Program:	HKDFED	
Operator Codes:	ALL	
Company.	AII	
Run Dates	1/06/2023	TODAY
Run Times:	0:00:00	23:59:59
Active Users Only:	No ~	
Report Sequence:	Program/User/Date/Time	v
OK Cancel Last Sa	ve Batch Reset	Default

This should not produce any data, and you should see this pop up:



If anyone has accessed the program, a report will be produced:

Usar Access Log File Report				52	JIN-2023 Page 1
Program	Description	Operator	The Comp.	Start.	Rad
10101710	Daix ISAN/ADS Type Files	IBC Do not use create your own	269 001	12-309-2023 09:41:55	12-308-2023 09:42:02

How to verify the reason these programs were accessed

Please contact lbcos Support if anyone has accessed either of these programs to check the records of who accessed the program and for what reason.

Ibcos Support will have a record of any access to the data edit programs by Ibcos staff members.

NEW STARTER PROCESS

Dealers must keep a record of all new starters, to include the following information:

- Name •
- Start Date
- Job Title
- Level of Gold access they have been granted (including super user rights)

USER ACCESS PERMISSION PROCESS

Users should be granted only the minimum access level codes required for their job role; with consideration being given to the segregation of duties where possible.

Restriction should be applied to the super user option and should only apply to users who require the following abilities:

- Can log in and use the system even when locked to users. •
- In "Report User Status" can lock/unlock Gold and kill other users.
- Write/Post to Archive Companies.
- Within Document Maintenance can delete a document awaiting payment authorisation.
- In Plant Equipment Maintenance may change the purchase price.
- Can change the Security setting in "General System Maintenance".
- Receive notifications when a new update is ready to be loaded.

Regular checks of each user's access permissions in Gold should be carried out. Ibcos suggest these checks are carried out on a quarterly basis as a minimum.

LEAVER PROCESS

When an employee leaves the company, you must mark them as a leaver in Gold to prevent them from accessing the system.

- Go into System Management Security
- Select Personnel Security File

G Main Menu			X
Workshop Control	Set-Up and Security	Security	FTP File Maintenance
* Parts Control *	Company Control Files	Terminar identity maintenance	FTP File Maintenance
* Wholegoods *	Depot Address/Sed Numbers Invoice Type Maintenance	User security Codes	File Transfer Details
Sales S	Department Maintenance	Operator Maintenance	3rd Party Application Access
Purchase 🔹	a Department / Invoice Type Maint	Terminal Manager	Okta Addrendcadon Coning
• Nominal *			
Plant Hire			
Planned Maintenance			
CRM / Sales Prospecting			
Communications			
System Management Set-Up and Security Utilities Prospect Data Parts Control Parts Control Parts Promotions / Discounts Wholegoods / Workshop Ledgers / Mapping / Currency Plant Hire Ernail / Text Messages	General Favorites : General Terms Designer		Vew QuickRef Search Help
Ibcos Housekeeping			
Housekeeping	Phone : (01202) 714200	Fax : (01202) 733552	ibcos
40 Engineering	Sales : sales@ibcos.co.uk	Support : support@ibcos.co.uk	computers

- Select the user who has left the business.
- On the "Details" tab enter the word LEAVER into the Dept field then click the "Chg Pwd" button to reset the users password.

C Security File Maintenance p. 24/1 POOLE - Amend Mode								
Details Email Security Financial Document Store Windows Applications								
Password:		A1	Initials:	A1				
First Marca								
First Name:		Abbey						
Surname:		Barnes						
Nickname:		AB						
Dept.:	Dept: LEAVER							
Dept Code:		ALL	***					
Default Deal View:		Deals ~						
Function Key	Description	Men	u Selection		Default Menu:	Main Menu		~
F2								
F3								
F4								
F5								
F6								
		\frown						
OK Cancel	OK Cancel Export Cpy/Us Chg Pwd							

- Go to the "Security" tab
- In the Access Code section, put 99 on the first field and leave everything else as 0. Note: this step can be ignored if Access Code 99 is in use.

assword.	<u>A</u> 1	mindia.	A1			
Access Codes: 99 0 Companies Allowed:	0 0	0 0	0 0	0 0		
SuperUser:	N	res → App User	max password attempts		3	
Allow Batch Operations:	٩	No 🗸 App User	pwd attempts used		0	
Allow Additional Process:	1	4o ~				
Detach Prints on Windows?	1	No ~				
Wgd Exclude Access Codes:	L					
Restricted {WGD} Amend:	1	1o ~				
Set Stop Flag ?	٢	1 0 ~				
Rep Code:		***				
Application User?	١	۷o v				
Email:						

• Click save and the user will no longer be able to access Gold.

If the user has access to any of the Gold Applications (Gold Service, Gold Parts, Gold Sales etc), the following additional steps need to be carried out.

- On the Applications tab change any Active Applications to InActive
- On the Security tab change the Application User field from Yes to No.

SERVER ROOT PASSWORD

The server root password should be restricted to a minimum required number of staff and a complex password should be used to ensure security is maintained.

Unix/Linux passwords can be set as complex, but this is not mandatory.

Ibcos recommend the use of the following for the server root password:

- uppercase characters
- lowercase characters
- digits
- other characters (e.g., punctuation marks)
- a mix of the above

Version	Date	Changes	Distribution
1.0	22/01/2024	Updated to final version ready to publish.	All CNH dealers running lbcos Gold software
2.0	03/06/2024	Added a section on Application users to the Leavers process	